

119 Lurgan Ave, Suite C Shippensburg, PA 17257 PHONE: 717.300.1311

EMAIL: i@needrubbernow.com

www.americanmaterialsupply.com





A VETERAN OWNED BUSINESS "Honesty, Integrity & Loyalty, That's How We Operate"

G7 SHEET

NAME:	G7	
	SILICONE FIBERGLASS SHEET	

TENSILE STRENGTH(psi): 18,000

COMPRESSIVE STRENGTH(psi): 45,000

FLEXURAL STRENGTH(psi): 25,000

HARDNESS, M SCALE: 105

SHEAR STRENGTH(psi): 17,000

DIELECTRIC CONSTANT
10⁶ (CYCLES CONDITION A): 4.20

WATER ABSORPTION %-24 HRS: .20

COEFFICIENT THERMAL EXPANSION: 1.00

in/in/°C x 10-5

MAX CONTINUOS TEMP: 250 F° <><< **TEMPERATURE** FLAMMABILITY: UL94VO

SILICONE BASED LAMINATE

***Our rubber products are blended of various polymers formulated to meet stated physical specifications.

Recommendations made by American Material Supply in its product literature relating to applications of the rubber are believed to be reliable, but we make no warranty of results to be obtained since the conditions of the end application by Buyer and others are beyond American Material Supply's control.***